



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/607,856

06/27/2003

Pavel Shuk

R302.12-0062

7101

27367 7590 05/15/2007
WESTMAN CHAMPLIN & KELLY, P.A.
SUITE 1400
900 SECOND AVENUE SOUTH
MINNEAPOLIS, MN 55402-3319

EXAMINER

VATHYAM, SUREKHA

ART UNIT

PAPER NUMBER

1753

MAIL DATE

DELIVERY MODE

05/15/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/607,856

Applicant(s)

SHUK ET AL.

Examiner

Surekha Vathyam

Art Unit

1753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6, 8-17 and 23-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-17 and 23-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 23 April 2007 has been entered.

Claim Objections

2. Claim 23 is objected to because of the following informalities: line 17 of claim 23, "fluoride" should be corrected to - - fluorite - - to be consistent with the instant specification on page 16, 2nd paragraph, last sentence. Appropriate correction is required.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 1 – 6 and 10 – 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828).

Regarding claim 1, Sheridan discloses a process analytic system (12) comprising: a device (38) for sensing a concentration of a combustible species of interest (column 7, lines 12 – 14) – in an exhaust stream (column 5, lines 42 – 49); a controller (18) coupled to the device and configured to receive measurements of the

concentration of the combustible species (column 9, lines 66 – column 10, line 5 and column 11, lines 7 – 10); and a blowback system (column 8, lines 64 – 66) coupled to the device (38) and the controller (18) (column 10, lines 8 – 13), the blowback system being configured to responsively reverse gas flow through the device (column 8, line 66 – column 9, line 9). Sheridan also discloses the device to be a catalytic heat-flux sensor that measures differential changes in temperature (column 9, lines 60 – 62) but does not explicitly disclose the details of the device.

Dalla Betta ('828) discloses the device (see Figs. 1 – 4 and 6) comprises: a holder (626); a first RTD (114) disposed in a first protective cover (110), wherein the first cover (110) is metallic (column 5, lines 49 – 60, column 14, lines 28 – 37 and column 15, lines 4 – 16) and is mounted to the holder (626 via 110); a second RTD (124) disposed in a second protective cover (122), wherein the second cover (122) is metallic (column 5, lines 49 – 60, column 7, lines 49 – 51, column 14, lines 28 – 37 and column 15, lines 4 – 16) and is mounted to the holder (626 via 122); and wherein the first cover (110) comprises a catalyst thereon which has a higher catalytic activity to the species of interest than the second cover (122) (column 4, lines 13 – 22 and column 7, lines 14 – 22). Specifically, column 15, lines 4 – 16 of Dalla Betta ('828) disclose the RTDs cemented to element blocks of alumina that are mounted in the stainless steel body so that $\frac{3}{4}$ inches was exposed.

It would have been obvious to one of ordinary skill in the art to have modified the system of Sheridan ('328) to include the device of Dalla Betta ('828) because as Dalla Betta ('828) explains the device provides the benefit of detecting low concentrations of

Art Unit: 1753

nitrogen oxides with good accuracy in exhaust streams and the presence of other pollutants including sulfur does not substantially affect the accuracy (column 15, lines 56 – 61). Sheridan ('328) expressly states that sulfur is present in exhausts and could damage the sensors used to detect concentration of gas samples (column 1, line 67 – column 2, line 5).

Regarding claim 2, Dalla Betta ('828) discloses the first cover (110) is formed from a tube (see Fig. 1).

Regarding claim 3, Dalla Betta ('828) discloses the second cover (122) is formed as a tube (see Fig. 1).

Regarding claim 4, Dalla Betta ('828) discloses the catalyst (112) is disposed on the first cover (110) as a film (column 6, lines 36 - 40).

Regarding claim 5, Dalla Betta ('828) discloses the film is a Group VIII noble metal catalyst (column 6, lines 47 – 49 and column 6, line 66 – column 7, line 3).

Regarding claim 6, Dalla Betta ('828) discloses the film is constructed from a metal oxide combustion catalyst (column 6, lines 47 – 49 and column 6, line 66 – column 7, line 3).

Regarding claim 10, Dalla Betta ('828) discloses the second cover (122) is constructed from a catalyst-free (column 7, lines 14 – 18) stainless steel tube (column 15, line 4 – 16).

Regarding claim 11, Dalla Betta ('828) discloses at least one of the first (110) and second cover (122) is joined to the holder (626 via 110 and 122 respectively) using

Art Unit: 1753

thermally insulative material (column 5, line 54 – column 6, line 11 and column 7, lines 49 – 51).

Regarding claim 12, Dalla Betta ('828) discloses the thermally insulative material is selected from the group of ceramic cement, adhesive, and high-temperature epoxy (column 5, line 54 – column 6, line 11 and column 7, lines 49 – 51).

7. Claims 1 – 6 and 10 – 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) and further in view of McQueen (US 4,977,385).

While it is considered that claims 1 – 6 and 10 – 12 are obvious over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) as explained above, McQueen (US 4,977,385) is relied upon as further evidence of obviousness.

Regarding claim 1, McQueen ('385) teaches an RTD (10) disposed in a protective cover (12) (see figs. 1 – 3 and column 9, lines 52 – 56), wherein the cover is metallic (column 9, line 56 – column 10, line 16).

It would have been obvious to one of ordinary skill in the art to have modified the device of Dalla Betta ('828) in the system of Sheridan ('328) to include a metallic cover for the RTD as taught by McQueen ('385) because as explained by McQueen, the metallic cover will protect the RTD in hostile chemical or mechanical environment (column 9, lines 61 – 66).

Regarding claim 2, McQueen ('385) teaches the cover is formed from a tube (column 9, lines 56 – 61).

Regarding claim 3, McQueen ('385) teaches the cover is formed as a tube (see figs. 1 and 3 and column 5, lines 16 – 23).

Regarding claim 10, McQueen ('385) teaches the cover is constructed from a catalyst-free stainless steel tube (column 9, lines 56 – 61).

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) as applied to claim 1 above, and further in view of Lauder (US 3,897,367).

Regarding claim 8, Sheridan ('328) in view of Dalla Betta ('828) does not explicitly disclose the catalyst comprises perovskite.

Lauder ('367) teaches a catalyst comprising perovskite (column 1, lines 5 – 8 and column 5, lines 61 – 63).

It would have been obvious to one of ordinary skill in the art to have modified the device of Dalla Betta ('828) in the system of Sheridan ('328) to substitute perovskite as the catalyst as taught by Lauder ('367) because as Lauder ('367) explains perovskite provides the benefit of stability and durability at high temperatures and has been shown to catalyze the oxidation of hydrocarbons and carbon monoxide (column 7, lines 4 – 17).

9. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) and McQueen (US 4,977,385) as applied to claim 1 above, and further in view of Lauder (US 3,897,367).

Regarding claim 8, Sheridan ('328) in view of Dalla Betta ('828) and McQueen ('385) does not explicitly disclose the catalyst comprises perovskite.

Lauder ('367) teaches a catalyst comprising perovskite (column 1, lines 5 – 8 and column 5, lines 61 – 63).

It would have been obvious to one of ordinary skill in the art to have modified the device of Dalla Betta ('828) and McQueen ('385) in the system of Sheridan ('328) to substitute perovskite as the catalyst as taught by Lauder ('367) because as Lauder ('367) explains perovskite provides the benefit of stability and durability at high temperatures and has been shown to catalyze the oxidation of hydrocarbons and carbon monoxide (column 7, lines 4 – 17).

10. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) as applied to claim 1 above, and further in view of Valentine et al. (US 2,916,358).

Regarding claim 9, Sheridan ('328) in view of Dalla Betta ('828) does not explicitly disclose the catalyst comprises hopcalite.

Valentine ('358) teaches a catalyst comprising hopcalite (column 2, lines 23 – 28).

It would have been obvious to one of ordinary skill in the art to have modified the device of Dalla Betta ('828) in the system of Sheridan ('328) to substitute hopcalite as the catalyst as taught by Valentine ('358) because it causes the combustion of carbon

monoxide and allows for its detection in a reliable and speedy manner (column 1, lines 15 – 30) as explained by Valentine ('358).

11. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Dalla Betta et al. (US 5,314,828) and McQueen (US 4,977,385) as applied to claim 1 above, and further in view of Valentine et al. (US 2,916,358).

Regarding claim 9, Sheridan ('328) in view of Dalla Betta ('828) and McQueen ('385) does not explicitly disclose the catalyst comprises hopcalite.

Valentine ('358) teaches a catalyst comprising hopcalite (column 2, lines 23 – 28).

It would have been obvious to one of ordinary skill in the art to have modified the device of Dalla Betta ('828) and McQueen ('385) in the system of Sheridan ('328) to substitute hopcalite as the catalyst as taught by Valentine ('358) because it causes the combustion of carbon monoxide and allows for its detection in a reliable and speedy manner (column 1, lines 15 – 30) as explained by Valentine ('358).

12. Claims 13 – 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Yokota et al. (US 6,368,479).

Regarding claim 13, Sheridan ('328) discloses a process analytic system (12) comprising: a device (38) for configured for determining a concentration of a combustible species of interest (column 7, lines 12 – 14) – in an exhaust stream

(column 5, lines 42 – 49); a controller (18) coupled to the device and configured to receive measurements of the concentration of the combustible species (column 9, lines 66 – column 10, line 5 and column 11, lines 7 – 10); and a blowback system (column 8, lines 64 – 66) coupled to the device (38) and the controller (18) (column 10, lines 8 – 13), the blowback system being configured to responsively reverse gas flow through the device (column 8, line 66 – column 9, line 9). Sheridan ('328) also discloses a sensor comprising a solid electrolyte (column 7, lines 21 – 23) but does not explicitly disclose the reference and working electrodes.

Yokota ('479) teaches a device (see figs. 1 and 10) comprising: a solid electrolyte (6); a reference electrode (2, 4) that is inactive to the combustion reaction (column 6, lines 11 – 15); and a working electrode (3, 5) that is constructed using doped ceria (column 3, lines 49 – 58, column 7, lines 25 – 34 and column 5, lines 57 – 64), wherein the working electrode (3, 5) and the reference electrode (2, 4) are coupled to the solid electrolyte (6) (see fig 1. and column 6, lines 55 – 58).

It would have been obvious to one of ordinary skill in the art to have modified the system of Sheridan ('328) to include the device of Yokota ('479) because as Yokota ('479) explains the device has the benefit of measuring a concentration of carbon monoxide contained in an exhaust stream and is operable at high temperatures and excludes the effects of coexisting sulfur dioxide on such measurements (column 1, lines 7 – 14). Sheridan ('328) discloses a device for the measurement of concentration of carbon monoxide in an exhaust stream (column 7, lines 12 – 14) and expressly states that sulfur is present in exhausts and could damage the sensors used to detect

Art Unit: 1753

concentration of gas samples (column 1, line 67 – column 2, line 5), and also recognizes the inconvenience of sensors that do not operate at high temperature (column 1, lines 60 – 63).

Regarding claim 14, Yokota ('479) discloses the reference and working electrodes are couplable to the exhaust stream (column 4, lines 25 – 42).

Regarding claim 15, Yokota ('479) discloses the solid electrolyte (6) is selected from the group consisting of doped zirconia, ceria, and bismuth oxide (column 5, lines 57 – 64).

Regarding claim 16, Yokota ('479) discloses the reference electrode (2, 4) is constructed from gold (column 3, lines 54 – 58).

13. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sheridan et al. (US 5,627,328) in view of Yokota et al. (US 6,368,479) as applied to claim 13 above, and further in view of Blumenthal et al. (US 4,101,404).

Regarding claim 17, the device of Sheridan ('328) in view of Yokota ('479) does not explicitly disclose the reference electrode (2, 4) being constructed from doped lanthanoid chromite.

Blumenthal ('404) teaches constructing an electrode from doped lanthanum chromite (see column 5, lines 55 – 66).

It would have been obvious to one of ordinary skill in the art to have modified the device of Yokota ('479) in the system of Sheridan ('328) by constructing the reference electrode (2, 4) from doped lanthanum chromite as taught by Blumenthal ('404)

Art Unit: 1753

because Blumenthal ('404) explains that doped lanthanum chromite "solves the problem of electrode corrosion" (column 5, lines 61 – 62).

14. Claims 23 – 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Isenberg (US 4,428,817) in view of Ruka et al. (US 5,021,304).

Regarding claim 23, Isenberg ('817) teaches a solid state device (9) for determining the concentration of oxygen in a gas phase (column 1, lines 8 – 11), the solid state device comprising: a solid electrolyte (33), a reference electrode (35) coupled to the solid electrolyte (33); and a working electrode (37) including a mixed ion/electron conductor (column 3, lines 55 – 60), wherein the working electrode is coupled to the solid electrolyte (see Fig. 1). Isenberg ('817) discloses the mixed ion/electron conductor includes perovskite-type oxides (column 3, lines 55 – 60). However, Isenberg ('817) does not expressly the mixed ion/electron conductor including ceria-containing fluorite group of materials.

Ruka ('304) teaches a solid state device (see fig. 1) comprising: a solid electrolyte (13); a reference electrode(14) coupled to the solid electrolyte (see fig. 1 and column 2, line 66 – column 3, line 1); and a working electrode (10) including a mixed ion/electron conductor chosen from the ceria-containing fluorite group of materials (column 3, lines 44 – 60, column 3, lines 6 – 17, column 4, lines 44 – 59); wherein the working electrode is coupled to the solid electrolyte (see fig. 1 and column 2, line 66 – column 3, line 1).

It would have been obvious to one of ordinary skill in the art to have modified the solid state device of Isenberg ('817) to include a ceria-containing fluorite group of material for the working electrode as taught by Ruka ('304) because Ruka ('304) explains that doped ceria provides the electrode with improved sulfur resistance (column 1, lines 16 – 37). The teachings of Ruka ('304) are considered analogous art and relied upon because Ruka ('304) addresses the need for improved sulfur tolerant electrochemical cells (see fig. 3, column 1, lines 32 – 37 and column 6, lines 41 – 58), which is pertinent to applicant's invention.

Regarding claim 24, Isenberg ('817) discloses the solid electrolyte (33) is selected from the group consisting of zirconia and ceria (column 3, lines 39 – 42).

Regarding claim 25, Isenberg ('817) discloses the reference electrode (35) is constructed from the group consisting of platinum, a metal oxide electrode, and a mixed conducting electrode (column 3, line 46 – 51).

Regarding claim 26, because of the phrase "group consisting of platinum, a metal oxide electrode, and a mixed conducting electrode" recited in parent claim 25, and the disclosure of platinum in column 3, lines 46 – 51 of Isenberg ('817), claim 26 is anticipated regardless of any disclosure concerning perovskite.

Regarding claim 27, because of the phrase "group consisting of platinum, a metal oxide electrode, and a mixed conducting electrode" recited in parent claim 25, and the disclosure of platinum in column 3, lines 46 – 51 of Isenberg ('817), claim 27 is anticipated regardless of any disclosure concerning fluorite.

Regarding claim 28, Isenberg ('817) does not explicitly disclose the working electrode (37) is constructed from ceria or its solid solution doped with at least one mixed valency element.

Ruka ('304) teaches a working electrode (10) is constructed from ceria or its solid solution (column 4, lines 44 – 49) doped with at least one mixed valency element (column 4, lines 49 – 59).

Regarding claim 29, Ruka ('304) teaches the mixed valency element is one of terbium and praseodymium (column 4, lines 55 – 56).

Response to Arguments

15. Applicant's arguments filed 21 March 2007 have been fully considered but they are not persuasive. Regarding independent claim 1, applicant argues on page 10 of the remarks section that "Such metallic protective covers over both temperature sensing devices is not provided by Dalla Betta '828". However, column 15, lines 4 – 16 of Dalla Betta ('828) discloses the RTDs cemented to element blocks of alumina that are mounted in the stainless steel body so that $\frac{3}{4}$ inches was exposed. In addition, the current office action also relies upon McQueen ('385) to demonstrate the obviousness of providing protective metallic cover for RTDs. Regarding independent claim 13, applicant states on pages 10 – 11 of the remarks that in Yokota, "there is simply no teaching or suggestion of using doped ceria for the sensing electrode". Yokota ('479) discloses the sensing electrode is preferably "a cermet electrode composed of gold or a gold alloy and the same material as of the solid electrolyte" (column 3, lines 49 – 58 and

Art Unit: 1753

column 7, lines 25 – 34). The solid electrolyte comprises doped ceria (column 5, lines 57 – 64). Regarding independent claim 23, applicant argues on page 11 of the remarks section that, “Ruka reference is not drawn from analogous art”. The teachings of Ruka ('304) are considered analogous art and relied upon because Ruka ('304) addresses the need for improved sulfur tolerant electrochemical cells (see fig. 3, column 1, lines 32 – 37 and column 6, lines 41 – 58), which is pertinent to applicant's invention. “In order to rely on a reference as a basis for rejection of an applicant's invention, the reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the inventor was concerned.” *In re Oetiker*, 977 F.2d 1443, 1446, 24 USPQ2d 1443, 1445 (Fed. Cir. 1992).

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Surekha Vathyam whose telephone number is 571-272-2682. The examiner can normally be reached on 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SV
May 10, 2007



NAM NGUYEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700